



Wega
Next generation

2019_{ENG}
NGE-19 GB REV.000



Mission	05
Technology	06

Wega Energy Collection

Urban	10
My Concept	14

Wega Experience Collection

Sphera	20
Polaris	24

Wega Original Collection

Airy	32
Io	36
Pegaso	40

Wega Heritage Collection

Mininova Classic	48
Vela Vintage	52

Wega Complements Collection

Coffee grinders	58
Wash range	60
Ice range	64
Drawers	66
SMART water filtration system	67
Cleaning products	68
Merchandise	69





MISSION

“We want our machines
to be synonymous
with excellence
the world over”

Offer technologically advanced coffee machines of the highest quality, distinguished by a brand synonymous with personality and created by baristas who like to express their individuality, while maintaining the highest level of reliability developed through years of expertise.



TECHNOLOGY



WPB Wega Power Boost

WEGA POWER BOOST

This technology allows the operator to set the **boost** function for intense work periods during the day, and where additional power is required, for coffee brewing, hot water supply, and steam output, **enhancing and maintaining the stability of the machine.**

WPS Wega Power Steam

WEGA POWER STEAM

The supply of **steam** for foaming milk, **with drier characteristics**, and a lower percentage of condensation, allows for a higher compactness and yield of the micro foam. This is achieved by an innovative system on the inside of the boiler which enhances the dryness of the steam leaving the boiler, and onwards to the steam wand.

WPR Wega Power Regulation

WEGA POWER REGULATION

Technology that allows the attainment of maximum brewing extraction from the coffee, thanks to an accurate monitoring of the water temperature, **within 0,1°C**. The above allows for an accurate temperature diagnosis in real time, by thermo regulators with a high **PWM** (power with modulation) resolution. Essentially, the regulation of the power supply, based on the water temperature.



SLS
Self
Learning
Software

SELF LEARNING SOFTWARE

A software **able to detect and monitor the activity of the machine** by automatically selecting the ON, STAND BY and OFF modes, based on the **best energy strategy**. These modes can also be set manually.

MBT
Multi
Boiler
Technology

MULTI BOILER TECHNOLOGY

Technology that allows energy savings with separate management of the powers in the individual boilers. It also allows to increase the thermal stability in the groups.

LEC
Low
Energy
Consumption

LOW ENERGY CONSUMPTION

The night stand-by in combination with the SLS and MTB technologies, **allows to obtain an energy saving of 47.6% in rest conditions and 30% in the operating phase** (considering an average weekly coffee consumption of 15 kg).


HSB
High
Safety
Boiler

HIGH SAFETY BOILER


Active machine safety with 5 safety levels on the steam boiler and 4 levels on the boilers of the groups.

WEGA ENERGY

The Wega Energy Collection is composed of Wega coffee machines from the **Green Line** and **Wega Power** ranges, which feature an innovative energy saving system.



Urban



My Concept





Urban





EVD energy-saving electronic coffee machine with boilers and independent groups

Born from the creativity of our designers, in addition to a study relating to examples of **urban design**. A low chassis, with an angled stance, allowing for positive interaction with the operator, and encompassing **the aggressive spirit** of the machine.



With a modern design, minimalist and aggressive, Wega has successfully **interpreted**, at its best the **market requests** and requirements.

This, thanks to the continuous **comparative development** with selected baristas the world over, listening to their needs, both in terms of **functionality** and **ergonomics**.

Groups



		2	3	4
Voltage	V	230 - 400 / 240 - 415	230 - 400 / 240 - 415	230 - 400 / 240 - 415
Total Power	W	4.000 / 4.790	5.600 / 6.100	7.100 / 7.730
Power per group	W	150 x 2 / 165 x 2	150 x 3 / 165 x 3	150 x 4 / 165 x 4
Power of coffee water tank element for each group	W	1.000 x 2 / 1.090 x 2	1.000 x 3 / 1.090 x 3	1.000 x 4 / 1.090 x 4
Steam boiler power	W	3.000 / 3.270	3.000 / 3.270	5.000 / 5.445
Steam boiler capacity	Lt / US gal	8 / 2.11	13 / 3.43	13 / 3.43
Coffee water reservoir capacity	Lt / US gal	(1,2 / 0.32) x 2	(1,2 / 0.32) x 3	(1,2 / 0.32) x 4
Width	L = cm / in	80 / 31.50	104 / 40.95	128 / 50.40
Depth	P = cm / in	60 / 23.63	60 / 23.63	60 / 23.63
Height	H = cm / in	59 / 23.23	59 / 23.23	59 / 23.23
Net Weight	kg / lb	95 / 209	117 / 257.4	142 / 312.4
Gross Weight	kg / lb	105 / 231	129 / 283.9	157 / 345.4
Packed Volume	m ³ / ft ³	0,4472 / 15.791	0,5678 / 20.049	0,6935 / 24.488



EVD energy-saving electronic coffee machine with boilers and independent groups

- New steam tap with dedicated knob with 90° rotation for quick and easy selection of off and on.
- Dry steam function for the ultimate foam.
- Service boiler boost function for busy periods to guarantee even better performance.
- Ability to connect directly to Customer Service.
- Optional pre-order of Wi-Fi management packet to allow remote control (from laptop, tablet, smartphone) of all machine functions and settings.
- Accurate temperature monitoring of electronic components for accurate, real-time diagnostics.
- Enhanced thermoregulators with high resolution PWM for precision temperature control.
- Separated hydraulic circuit to maintain consistent pressure as coffee is dispensed.
- 5" interactive capacitive touchscreen display positioned flush with the control panel with a protective tempered glass cover.
- "Mobile-like" interface
- Instant upload of photos and images to the machine's display. Users can personalise their machine in just a few simple steps.
- Shot counter.
- Option of lowering 122mm raised groupheads to 82mm at any time using a stainless steel pull-out grid.
- Easy-to-use tutorials



EVD ELECTRONIC COFFEE MACHINE - TOTAL MATT BLACK



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EVD2UR	2	80x60x59	8	95 - 105	230/400 - 240/415	4.000 / 4.790	12.143
J-EVD3UR	3	104x60x59	13	117 - 129	230/400 - 240/415	5.600 / 6.100	15.317
J-EVD4UR	4	128x60x59	13	142 - 157	230/400 - 240/415	7.100 / 7.730	18.775

EVD ELECTRONIC COFFEE MACHINE - GREY H368



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EVD2UR	2	80x60x59	8	95 - 105	230/400 - 240/415	4.000 / 4.790	12.143
J-EVD3UR	3	104x60x59	13	117 - 129	230/400 - 240/415	5.600 / 6.100	15.317
J-EVD4UR	4	128x60x59	13	142 - 157	230/400 - 240/415	7.100 / 7.730	18.775

SMART WATER FILTRATION SYSTEM

Model	Height (cm)	Lt.	Euro
J-KIT 20	38,3	2.700	191
J-KIT 25	38,3	3.800	227
J-KIT 30	43,5	5.800	288
J-KIT 35	46,0	7.800	337
J-KIT TEST	5,5	0,01	50

ACCESSORIES

Code	Description	Euro
J-AC28	Milkfrother	340
J-AM08	Manual water softener 8 lt.	175
J-AM12	Manual water softener 12 lt.	200
J-AM16	Manual water softener 16 lt.	221

EXTRA

Code	Description	Euro
J-EX08	Autosteamer 2, 3, 4 Groups	1.295
J-EX15	Wi-Fi package pre-setting and management	345

My Concept





EVD energy-saving coffee machine with boilers and independent groups

A machine that's easy to use thanks to its customisable **touch screen**, allowing brewing controls to be set simply and intuitively.


The exclusive **Green Line** technology makes it unique, with energy saving software that also optimises yield.

In addition to all these features, this machine has connectivity, making it even more special, with **wireless remote control** and real-time communication with the user via **pop-ups**.

Groups



		2	3	4
Voltage	V	230 - 400 / 240 - 415	230 - 400 / 240 - 415	230 - 400 / 240 - 415
Total Power	W	4.000 / 4.790	5.600 / 6.100	7.100 / 7.730
Power per group	W	150 x 2 / 165 x 2	150 x 3 / 165 x 3	150 x 4 / 165 x 4
Power of coffee water tank element	W	1.000 x 2 / 1.090 x 2	1.000 x 3 / 1.090 x 3	1.000 x 4 / 1.090 x 4
Steam boiler power	W	3.000 / 3.270	3.000 / 3.270	5.000 / 5.445
Steam boiler	Lt / US gal	8 / 2.11	13 / 3.43	13 / 3.43
Coffee water reservoir	Lt / US gal	(1,2 / 0.32) x 2	(1,2 / 0.32) x 3	(1,2 / 0.32) x 4
Width	L = cm / in	80 / 31.50	104 / 40.95	128 / 50.40
Depth	P = cm / in	60 / 23.63	60 / 23.63	60 / 23.63
Height	H = cm / in	59 / 23.23	59 / 23.23	59 / 23.23
Net Weight	kg / lb	95 / 209	117 / 257.4	142 / 312.4
Gross Weight	kg / lb	105 / 231	129 / 283.8	157 / 345.4
Packed Volume	m ³ / ft ³	0,4472 / 15.791	0,5678 / 20.049	0,6935 / 24.488



EVD energy-saving coffee machine with boilers and independent groups

- 5" capacitive screen with "mobile like" interface.
- SKIN, slide show and start logo customization.
- Choice of SKINS from Cloud library.
- A personalized menu, allows you to select command signals from one to six selections.
- Instant upload of images via a USB port.
- The possibility to memorize the specific extraction settings, of a particular coffee blend or single origin, in order to be able to re-access the memorized parameters, at a later date.
- Each group is completely independent: whereby it is possible to memorize preferences and combinations, for simultaneous selection by different operators.
- Possibility to change the coffee drop height (spout tip to lower grid) from 122mm to 82mm any time, thanks to a robust stainless steel pull out grid.
- Predictive ECO mode that analyzes data from all cycles made.
- ON, STAND BY and OFF selected by the device based on the best energy strategy. All this can also be set manually through the intuitive touch display!
- Pre-setting of optional functions, for managing the Wi-Fi package, allowing control in remote mode (from laptop, tablet, and smartphone) of all machine programming and functions.



EVD ELECTRONIC COFFEE MACHINE - TOTAL MATT BLACK



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EVD2BMYCO	2	80x60x59	8	95 - 105	230/400 - 240/415	4.000 / 4.790	12.143
J-EVD3BMYCO	3	104x60x59	13	117 - 129	230/400 - 240/415	5.600 / 6.100	15.317
J-EVD4BMYCO	4	128x60x59	13	142 - 157	230/400 - 240/415	7.100 / 7.730	18.775

EVD ELECTRONIC COFFEE MACHINE - TOTAL WHITE



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EVD2WMYCO	2	80x60x59	8	95 - 105	230/400 - 240/415	4.000 / 4.790	12.143
J-EVD3WMYCO	3	104x60x59	13	117 - 129	230/400 - 240/415	5.600 / 6.100	15.317
J-EVD4WMYCO	4	128x60x59	13	142 - 157	230/400 - 240/415	7.100 / 7.730	18.775

SMART WATER FILTRATION SYSTEM

Model	Height (cm)	Lt.	Euro
J-KIT 20	38,3	2.700	191
J-KIT 25	38,3	3.800	227
J-KIT 30	43,5	5.800	288
J-KIT 35	46,0	7.800	337
J-KIT TEST	5,5	0,01	50

ACCESSORIES


Code	Description	Euro
J-AC28	Milkfrother	340
J-AM08	Manual water softener 8 lt.	175
J-AM12	Manual water softener 12 lt.	200
J-AM16	Manual water softener 16 lt.	221

EXTRA


Code	Description	Euro
J-EX03	Approval ANSI/UL197; CSA-C22.2 No. 109	806
J-EX04	Approval NSF/ANSI 4	806
J-EX08	Autosteamer 2,3,4 Groups	1.295
J-EX15	Wi-Fi package pre-setting and management	345

WEGA EXPERIENCE

The machines in the Wega Experience collection bring together thirty years of Wega know-how in a range of products that offer **reliability** and **precision**.



Sphera



Polaris





Sphera

SPHERA





EVD electronic coffee machine
EPU semi-automatic coffee machine with
 electromechanical push buttons

Elegant, ergonomic lines are the distinguishing feature of the Sphera,
 a machine of the highest quality, reliable and practical.

Sphera unites **sophistication** with **practicality**, adding a touch of
 class to its surroundings.

Groups		☺☺	☺☺☺	☺☺☺☺
Voltage	V	120* / 230-240-400	230-240-400	230-240-400
Power	W	3.250* / 3.970 / 4.350	5.650 / 6.150	6.700 / 7.300
Boiler	Lt / US gal	12 / 3.17	17 / 4.49	22 / 5.81
Width	L = cm / in	72 / 28.35	96 / 37.80	120 / 47.24
Depth	P = cm / in	56 / 22.05	56 / 22.05	56 / 22.05
Height	H = cm / in	53 / 20.87	53 / 20.87	53 / 20.87
Net Weight	kg / lb	68 / 150	85 / 187	106 / 234
Gross Weight	kg / lb	78 / 172	98 / 216	122 / 269
Packed Volume	m ³ / ft ³	0,459 / 16.21	0,570 / 20.13	0,700 / 24.72

EVD electronic coffee machine

- 6 programmable doses per group with manual brewing button.
- Two steam wands with slide lever control taps.
- Temperature controlled hot water supply.
- Electronically controlled cup warmer, autolevel and volumetric pump.
- Multifunction alphanumeric display.

EPU semi-automatic coffee machine with electromechanical push buttons

- Two steam wands with slide lever control taps.
- Hot water supply.
- Electric cup warmer, autolevel and volumetric pump.



EVD ELECTRONIC COFFEE MACHINE



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EVD2SP	2	72x56x53	12	68 - 78	120* / 230-240-400	3.250* / 3.970 / 4.350	7.429
J-EVD3SP	3	96x56x53	17	85 - 98	230-240-400	5.650 / 6.150	8.692
J-EVD4SP	4	120x56x53	22	106 - 122	230-240-400	6.700 / 7.300	10.927

EVD ELECTRONIC COFFEE MACHINE - RAISED GROUPS



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EVD2SPH	2	72x56x53	12	68 - 78	120* / 230-240-400	3.250* / 3.970 / 4.350	7.854
J-EVD3SPH	3	96x56x53	17	85 - 98	230-240-400	5.650 / 6.150	9.117
J-EVD4SPH	4	120x56x53	22	106 - 122	230-240-400	6.700 / 7.300	11.352

EPU SEMI-AUTOMATIC COFFEE MACHINE



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EPU2SP	2	72x56x53	12	68 - 78	120* / 230-240-400	3.250* / 3.970 / 4.350	5.661
J-EPU3SP	3	96x56x53	17	85 - 98	230-240-400	5.650 / 6.150	6.647
J-EPU4SP	4	120x56x53	22	106 - 122	230-240-400	6.700 / 7.300	8.294

SMART WATER FILTRATION SYSTEM

Model	Height (cm)	Lt.	Euro
J-KIT 20	38,3	2.700	191
J-KIT 25	38,3	3.800	227
J-KIT 30	43,5	5.800	288
J-KIT 35	46,0	7.800	337
J-KIT TEST	5,5	0,01	50


EXTRA

Code	Description	Euro
J-EX02	Approval TUV GS	359
J-EX03	Approval ANSI/UL197; CSA-C22.2 No. 109	806
J-EX04	Approval NSF/ANSI 4	806
J-EX11	Autosteamer 2, 3, 4 gr. (EVD)	681

ACCESSORIES

Code	Description	Euro
J-AC01	Gas system	169
J-AC02	Built in motor pump	121
J-AC28	Milkfrother	340
J-AC30	Work area LED downlighters	198
J-AM08	Manual water softener 8 lt.	175
J-AM12	Manual water softener 12 lt.	200
J-AM16	Manual water softener 16 lt.	221

Polaris





- EVD*** electronic coffee machine
- EVD - COMPATTA** electronic compact coffee machine
- EPU** semi-automatic coffee machine with electromechanical push buttons
- EPU - COMPATTA** semi-automatic compact coffee machine with electromechanical push buttons

A machine with a distinctive character, capable of **lending personality** to any setting.

Polaris has been updated and enhanced to give a sleek, futuristic look with the option of an RGB **LED** light display on the side panels - a feature that makes it unique in the market.

* The one-group version is equipped with a single steam wand.

Groups		☿	☿☿	☿☿☿	compact
Voltage	V	120* / 230-240-400	120* / 230-240-400	230-240-400	120* / 230-240-400
Power	W	2.300* / 3.000 / 3.300	2.900* / 3.700 / 4.000	5.300 / 5.800	2.900* / 2.900 / 3.100
Boiler	Lt / US gal	5 / 1.32	12 / 3.17	17 / 4.49	7 / 1.85
Width	L = cm / in	54 / 21.26	75 / 29.53	99 / 38.98	54 / 21.26
Depth	P = cm / in	57 / 22.44	57 / 22.44	57 / 22.44	57 / 22.44
Height	H = cm / in	54 / 21.26	54 / 21.26	54 / 21.26	54 / 21.26
Net Weight	kg / lb	68 / 149.90	74 / 163.20	92 / 202.90	73 / 161
Gross Weight	kg / lb	77 / 169.80	84 / 185.20	104 / 229.30	82 / 180.80
Packed Volume	m ³ / ft ³	0,340 / 12.07	0,450 / 15.79	0,570 / 20.05	0,340 / 12.07

EVD electronic coffee machine

- Four programmable doses per group, with manual brewing button.
- Two stainless steel steam wands with lever control.
- Hot water tap with programmable electronic dosing.
- Autolevel and built in volumetric pump.
- Automatic group washing cycle.
- Lighting of the side panels with white LEDs as standard.
- Work area LED downlighters as standard (2, 3 gr.).

EVD-COMPATTA electronic compact coffee machine

- Four programmable doses per group, with manual brewing button.
- Two stainless steel steam wands with lever control.
- One manual hot water tap.
- Autolevel and volumetric pump.
- Lighting of the side panels with white LEDs as standard.

EPU semi-automatic coffee machine with electromechanical push buttons

- Two stainless steel steam wands with lever control.
- One manual hot water tap.
- Autolevel and built in volumetric pump.
- Lighting of the side panels with white LEDs as standard.
- Work area LED downlighters as standard (2, 3 gr.).

EPU-COMPATTA semi-automatic compact coffee machine with electromechanical push buttons

- Two stainless steel steam wands with lever control.
- One manual hot water tap.
- Autolevel and volumetric pump.
- Lighting of the side panels with white LEDs as standard.



EVD ELECTRONIC COFFEE MACHINE



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EVD1PR	1	54x57x54	5	68 - 77	120* / 230-240-400	2.300* / 3.000 / 3.300	4.810
● J-EVD2PR	2	75x57x54	12	74 - 84	120* / 230-240-400	2.900* / 3.700 / 4.000	6.341
● J-EVD3PR	3	99x57x54	17	92 - 104	230-240-400	5.300 / 5.800	7.479

EVD ELECTRONIC COFFEE MACHINE - RAISED GROUPS



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EVD2PRH	2	75x57x54	12	74 - 84	120* / 230-240-400	2.900* / 3.700 / 4.000	6.761
J-EVD2CPRH	2	54x57x54	7	73 - 82	120* / 230-240-400	2.900* / 2.900 / 3.100	6.268
J-EVD3PRH	3	99x57x54	17	92 - 104	230-240-400	5.300 / 5.800	7.899

EVD-COMPATTA ELECTRONIC COFFEE MACHINE



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EVD2CPR	2	54x57x54	7	73 - 82	120* / 230-240-400	2.900* / 2.900 / 3.100	5.848

- Always available in stock in the Brown 705 Trophy and Matt Black colours.
(completed with work area LED downlighters and lighting of the side panels with white LEDs)

POLARIS

Price list

EPU SEMI-AUTOMATIC COFFEE MACHINE



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
● J-EPU2PR	2	75x57x54	12	74 - 84	120* / 230-240-400	2.900* / 3.700 / 4.000	5.395
● J-EPU3PR	3	99x57x54	17	92 - 104	230-240-400	5.300 / 5.800	6.371

EPU-COMPATTA SEMI-AUTOMATIC COFFEE MACHINE



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EPU2CPR	2	54x57x54	7	73 - 82	120* / 230-240-400	2.900* / 2.900 / 3.100	4.847

- Always available in stock in the Brown 705 Trophy and Matt Black colours.
(completed with work area LED downlighters and lighting of the side panels with white LEDs)



SMART WATER FILTRATION SYSTEM

Model	Height (cm)	Lt.	Euro
J-KIT 20	38,3	2.700	191
J-KIT 25	38,3	3.800	227
J-KIT 30	43,5	5.800	288
J-KIT 35	46,0	7.800	337
J-KIT TEST	5,5	0,01	50

EXTRA

Code	Description	Euro
J-EX01	Polaris Tron Display for 2,3 gr. (EVD)	614
J-EX02	Approval TUV GS	359
J-EX03	Approval ANSI/UL197; CSA-C22.2 No. 109	806
J-EX04	Approval NSF/ANSI 4	806
J-EX07	Extra Chrome version	611
J-EX08	Autosteamer 2,3 gr. (EVD Tron)	1.295
J-EX12	Lighting of the side panels with RGB LED	518
J-EX13	Special offer: Chrome version + Lighting of side panel with LED RGB	957


ACCESSORIES

Code	Description	Euro
J-AC01	Gas system*	169
J-AC06	Electronical cup warmer 2, 3 gr.	117
J-AC28	Milkfrother	340
J-AM08	Manual water softener 8 lt.	175
J-AM12	Manual water softener 12 lt.	200
J-AM16	Manual water softener 16 lt.	221


* 1,2,3 groups, available only for machines without white LED lights on side panels, without "tron" and only with external motor-driven pump.

WEGA ORIGINAL


The machines from the Wega Original Collection have an outstanding **ability to adapt** to any style and any setting, offering an ease of use that makes them truly unique.



Airy



Io



Pegaso



Airy





EVD electronic coffee machine

Airy, a coffee machine, capable of adapting itself to every environment and any style. Versatile and practical, the Airy's uniqueness comes from the **interchangeable coloured side panels**, which allow it to blend into to any space and design.

Apart from utilizing the programmed touchpad selections, the barista can personalize his coffee by using the **override button**, in conjunction with the shot counter timer.

Groups



		1	2	3
Voltage	V	240-400 / 380-415	240-400 / 380-415	240-400 / 380-415
Power	W	2.900	3.850	5.600
Boiler	Lt / US gal	5 / 1.32	12 / 3.17	17 / 4.49
Width	L = cm / in	53 / 20.87	73,5 / 28,94	97.5 / 38.39
Depth	P = cm / in	58 / 22.83	58 / 22.83	58 / 22.83
Height	H = cm / in	50,5 / 19,88	50,5 / 19,88	50,5 / 19,88
Net Weight	kg / lb	56 / 123.46	68 / 149.91	87 / 191.80
Gross Weight	kg / lb	67 / 147.71	84,6 / 186.5	106,8 / 235,45
Packed Volume	m ³ / ft ³	0,3417 / 12.0670	0,4472 / 15.7927	0,5678 / 20.0517

EVD electronic coffee machine

- Shot Counters for each group
- Spot Led over Barista work area
- 10mm stainless steel steam wands + 4 hole steam tip
- 4 programmable doses per group
- Manual brewing buttons
- 1, 2, 3 groups and Compact version
- Automatic cleaning and grouphead backflush
- Raised groups or Standard height groups
- Black ergonomic handle portafilters with chrome Wega logo
- Lowered feet
- Designer pressure gauge cover



EVD ELECTRONIC COFFEE MACHINE



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EVD1WA	1	53x58x50,5	5	56 - 67	220-240V / 380-415V	2.900	4.292
J-EVD2WA	2	73,5x58x50,5	12	69 - 84,6	220-240V / 380-415V	3.850	5.570
J-EVD3WA	3	97,5x58x50,5	17	80 - 106,8	220-240V / 380-415V	5.600	6.950

EVD ELECTRONIC COFFEE MACHINE - RAISED GROUPS



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EVD1WAH	1	53x58x50,5	5	56 - 67	220-240V / 380-415V	2.900	4.712
J-EVD2WAH	2	73,5x58x50,5	12	69 - 84,6	220-240V / 380-415V	3.850	5.990
J-EVD3WAH	3	97,5x58x50,5	17	80 - 106,8	220-240V / 380-415V	5.600	7.370

SMART WATER FILTRATION SYSTEM

Model	Height (cm)	Lt.	Euro
J-KIT 20	38,3	2.700	191
J-KIT 25	38,3	3.800	227
J-KIT 30	43,5	5.800	288
J-KIT 35	46,0	7.800	337
J-KIT TEST	5,5	0,01	50

ACCESSORIES

Code	Description	Euro
J-AC06	Electric cup warmer (2, 3 Groups)	117
J-AC28	Milkfrother	340
J-AM08	Manual water softener 8 lt.	175
J-AM12	Manual water softener 12 lt.	200
J-AM16	Manual water softener 16 lt.	221



lo



EVD 1 GROUP electronic coffee machine
EVD 2 GROUPS electronic coffee machine
EVD - COMPATTA electronic compact coffee machine

Fun and funky, this machine adds exuberance and style to your coffee,
chameleon-style: available in different sizes and colours to suit your needs.

A professional coffee machine bursting with personality that will appeal to anyone operating in **young, trendy surroundings** that to show off this must-have piece of hip design.

Groups		1	2	compact
Voltage	V	120* / 230-240	120* / 230-240-400	230-240
Power	W	1.300* / 2.700	2.900* / 3.900	2.700
Boiler	Lt / US gal	2,5 / 0.57	10,5 / 2.38	2,5 / 0.57
Width	L = cm / in	39 / 15.35	74,5 / 29.33	56 / 22.05
Depth	P = cm / in	52,5 / 20.67	52,5 / 20.67	52,5 / 20.67
Height	H = cm / in	51,1 / 20.12	51,1 / 20.12	51,1 / 20.12
Net Weight PV	kg / lb	38 / 83.78	--	45 / 99.21
Gross WeightPV	kg / lb	47 / 103.62	--	54 / 119.05
Net Weight PR	kg / lb	43 / 94.80	63 / 138.89	45 / 99.21
Gross WeightPR	kg / lb	52 / 114.64	73 / 160.94	54 / 119.05
Packed Volume	m ³ / ft ³	0,23 / 8.12	0,45 / 15.79	0,340 / 12.07

EVD 1 GRUPPO electronic coffee machine

- Wega standard group with thermosiphon circulation.
- Programming of four doses per group.
- A stainless steel steam tube.
- A hot water dispenser.
- Automatic level.
- Available with inner tank and vibration pump (mod. PV) or with connection to the water mains and rotary pump (mod. PR).
- Possibility of bringing the 122mm raised groups to a height of 82 mm at any time thanks to a wide and solid stainless steel flap.
- Work area LED downlighters as standard

EVD 2 Groups electronic coffee machine

- Wega standard group with thermosiphon circulation.
- Programming of four doses per unit.
- Two stainless steel steam tubes.
- A hot water dispenser and two manual buttons for coffee dispensing.
- Automatic level.
- Only available with connection to the water mains and rotary pump (mod. PR).
- Possibility of bringing the 122mm raised groups to a height of 82 mm at any time thanks to a broad and solid stainless steel flap.
- Work area LED downlighters as standard.

EVD 2 Groups COMPATTA electronic compact coffee machine

- Thermoheated coupling ring group.
- Programming of four doses per group.
- A stainless steel steam tube.
- A hot water dispenser.
- Automatic level.
- A model that is already set up both for the inner tank with vibration pump (mod. PV) and for connection to the water mains.
- Innovative energy-saving system thanks to which it is possible to place one or both boilers of the dispensing groups on stand-by.
- Possibility of bringing the 122mm raised groups to a height of 82 mm at any time thanks to a broad and solid stainless steel flap.
- Work area LED downlighters as standard.



EVD 1 GRUPPO ELECTRONIC COFFEE MACHINE



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EVD1IOPV	1	39x52,5x51,1	2,5	38 - 47	120* / 230-240	1.300* / 2.700	3.565
J-EVD1IOPR	1	39x52,5x51,1	2,5	43 - 52	120* / 230-240	1.300* / 2.700	3.597

EVD COMPATTA ELECTRONIC COMPACT COFFEE MACHINE



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EVD2CIO	2	56x52,5x51,1	2,5	45 - 54	230-240	2.700	4.886

EVD ELECTRONIC COFFEE MACHINE



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
● J-EVD2IO	2	74,5x52,5x51,1	10,5	63 - 73	120* / 230-240-400	2.900* / 3.900	4.950
J-EVD3IO	3	98,5x52,5x51,1	15,2	81 - 91	230-240-400	5.300	5.238

- Always available in stock in Pearly White color

SMART WATER FILTRATION SYSTEM

Model	Height (cm)	Lt.	Euro
J-KIT 20	38,3	2.700	191
J-KIT 25	38,3	3.800	227
J-KIT 30	43,5	5.800	288
J-KIT 35	46,0	7.800	337
J-KIT TEST	5,5	0,01	50

EXTRA

Code	Description	Euro
J-EX03	Approval ANSI/UL197; CSA-C22.2 No. 109	806
J-EX04	Approval NSF/ANSI 4*	806
J-EX16	Customised panels	748

ACCESSORIES

Code	Description	Euro
J-AC28	Milkfrother	340
J-AM08	Manual water softener 8 lt.	175
J-AM12	Manual water softener 12 lt.	200
J-AM16	Manual water softener 16 lt.	221

* available only for machines with 2 and 3 groups, except for the compact machines.



Pegaso





EVD electronic coffee machine
EPU semi-automatic coffee machine

Always reliable and now with an updated design, Pegaso is the embodiment of simplicity in the Wega stable. The **back-lit keypad** and the option of **raising the groups** allow baristas to bring elegance and practicality to their surroundings.

Groups		1	2	3
Voltage	V	120* / 230-240-400	120* / 230-240-400	230-240-400
Power	W	2.900* / 2.900	2.900 / 3.700	5.300
Boiler	Lt / US gal	5 / 1.32	10,5 / 2.64	17 / 4.49
Width	L = cm / in	53 / 20.87	74 / 29.13	98 / 38.58
Depth	P = cm / in	55,5 / 21.85	55,5 / 21.85	55,5 / 21.85
Height	H = cm / in	51,5 / 20.27	51,5 / 20.27	51,5 / 20.27
Net Weight	kg / lb	48 / 106	62 / 137	82 / 181
Gross Weight	kg / lb	57 / 126	72 / 159	94 / 207
Packed Volume	m ³ / ft ³	0,342 / 12.075	0,447 / 15.783	0,568 / 20.055

EVD electronic coffee machine

- New retro-illuminated touch pads
- 4 programmable doses per group
- Two steam wands
- Automatic hot water outlet (2 - 3 gr.)
- Built-in motor pump
- Options upon request: Raised groups (2, 3 gr.)

EPU semi-automatic coffee machine

- Electromechanical push buttons
- Two steam wands (2 - 3 gr.)
- Single hot water outlet
- Water autorelevel standard
- Built-in motor pump
- Options upon request: Raised groups (2, 3 gr.)



EVD ELECTRONIC COFFEE MACHINE



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EVD1PG	1	53x55,5x51,5	5	48 - 57	120* / 230-240-400	2.900* / 2.900	3.295
J-EVD2PG	2	74x55,5x51,5	10,5	62 - 72	120* / 230-240-400	2.900* / 3.700	4.152
J-EVD3PG	3	98x55,5x51,5	17	82 - 94	230-240-400	5.300	5.185

EVD ELECTRONIC COFFEE MACHINE - RAISED GROUPS



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EVD1PGH	1	53x55,5x51,5	5	48 - 57	120* / 230-240-400	2.900* / 2.900	3.710
J-EVD2PGH	2	74x55,5x51,5	10,5	62 - 72	120* / 230-240-400	2.900* / 3.700	4.567
J-EVD3PGH	3	98x55,5x51,5	17	82 - 94	230-240-400	5.300	5.600

SMART WATER FILTRATION SYSTEM

Model	Height (cm)	Lt.	Euro
J-KIT 20	38,3	2.700	191
J-KIT 25	38,3	3.800	227
J-KIT 30	43,5	5.800	288
J-KIT 35	46,0	7.800	337
J-KIT TEST	5,5	0,01	50

ACCESSORIES

Code	Description	Euro
J-AC06	Electric cup warmer (2, 3 Groups)	117
J-AC28	Milkfrother	340
J-AM08	Manual water softener 8 lt.	175
J-AM12	Manual water softener 12 lt.	200
J-AM16	Manual water softener 16 lt.	221

EXTRA

Code	Description	Euro
J-EX02	Approval TUV GS	359

PEGASO

Price list

EPU SEMI-AUTOMATIC COFFEE MACHINE



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EPU1PG	1	53x55,5x51,5	5	48 - 57	120* / 230-240-400	2.900* / 2.900	2.835
J-EPU2PG	2	74x55,5x51,5	10,5	62 - 72	120* / 230-240-400	2.900* / 3.700	3.505
J-EPU3PG	3	98x55,5x51,5	17	82 - 94	230-240-400	5.300	4.425

EPU SEMI-AUTOMATIC COFFEE MACHINE - RAISED GROUPS



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EPU1PGH	1	53x55,5x51,5	5	48 - 57	120* / 230-240-400	2.900* / 2900	3.250
J-EPU2PGH	2	74x55,5x51,5	10,5	62 - 72	120* / 230-240-400	2.900* / 3.700	3.920
J-EPU3PGH	3	98x55,5x51,5	17	82 - 94	230-240-400	5.300	4.840



SMART WATER FILTRATION SYSTEM

Model	Height (cm)	Lt.	Euro
J-KIT 20	38,3	2.700	191
J-KIT 25	38,3	3.800	227
J-KIT 30	43,5	5.800	288
J-KIT 35	46,0	7.800	337
J-KIT TEST	5,5	0,01	50

EXTRA


Code	Description	Euro
J-EX02	Approval TUV GS	359

ACCESSORIES


Code	Description	Euro
J-AC06	Electric cup warmer (2, 3 Groups)	117
J-AC28	Milkfrother	340
J-AM08	Manual water softener 8 lt.	175
J-AM12	Manual water softener 12 lt.	200
J-AM16	Manual water softener 16 lt.	221

WEGA HERITAGE

The Heritage collection is the epitome of **retro style** favoured by coffee purists. **Wood** and **stainless steel** blend together to bring these exclusive designs to life.



Mininova Classic



Vela Vintage



Mininova Classic





EMA MININOVA CLASSIC semi-automatic mechanical lever operated espresso coffee machine

The ultra-light machine from Wega with manual, lever-operated brewing. A must for connoisseurs of Espresso, this beautiful machine combines **stainless steel** and **wood** to give a uniquely stylish result.

Groups



Voltage	V	120* / 230-240	120* / 230-240
Total Power	W	1.600* / 1.600	2.900* / 2.900
Steam boiler capacity	Lt / US gal	2 / 0.45	7 / 1.59
Width	L = cm / in	33 / 12.99	59 / 23.23
Depth	P = cm / in	43,5 / 17.13	44,5 / 17.52
Height	H = cm / in	48,5 / 19.09	53,5 / 21.06
Net Weight	kg / lb	25 / 55.12	46 / 101.41
Gross Weight	kg / lb	28 / 61.73	57 / 125.66
Packed Volume	m ³ / ft ³	0,1331 / 4.7	0,221 / 7.8

EMA MININOVA CLASSIC (1 GRUPPO) semi-automatic mechanical lever operated spresso coffee machine

- An individual visible unit with standard height of 82 mm (distance from the dispensing spout to the cup-support grid).
- A steam nozzle and a hot water dispensing nozzle, both manual and fitted with retro-style knobs.
- Standard self-levelling.
- Vibration pump.
- 1 inner tank, 1,7l.
- Direct connection to the water mains for water supply.
- Inlet water pressure regulator.
- 2-l boiler with two exchangers.
- Decalcification system.
- Upper cup-support grid with plexiglass.
- To enhance the purism that distinguishes the style of this machine, new wooden finishes were created for: water knob, steam knob, filter carrier and levers.

EMA MININOVA CLASSIC (2 GROUPS) semi-automatic mechanical lever operated spresso coffee machine

- Two visible units with standard height of 82 mm (distance from the dispensing spout to the cup-support grid).
- A steam nozzle and a hot water dispensing nozzle, both manual and fitted with retro-style knobs.
- Self-levelling boiler and standard tank.
- 3 vibration pumps: one on each unit and the third dedicated exclusively to management of the boiler level.
- Inner tank, 4lt.
- Direct connection to the water mains for water supply.
- Inlet water pressure regulator.
- 7-l boiler with two exchangers.
- Decalcification system.
- Upper cup-support grid with plexiglass.
- To enhance the purism that distinguishes the style of this machine, new wooden finishes were created for: water knob, steam knob, filter carrier and levers.



EMA MININOVA CLASSIC (1 GROUP)



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EMA1MINIC	1	33x43,5x48,5	2	25 - 28	120* / 230-240	1.600* / 1.600	2.903

EMA MININOVA CLASSIC (2 GROUPS)



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EMA2MINIC	2	59x44,5x53,5	7	46 - 57	120* / 230-240	2.900* / 2.900	4.352

SMART WATER FILTRATION SYSTEM

Model	Height (cm)	Lt.	Euro
J-KIT 20	38,3	2.700	191
J-KIT 25	38,3	3.800	227
J-KIT 30	43,5	5.800	288
J-KIT 35	46,0	7.800	337
J-KIT TEST	5,5	0,01	50

ACCESSORIES

Code	Description	Euro
J-AC28	Milkfrother	340
J-AC38	Descaler (2x125 ml)	13
J-AM08	Manual water softener 8 lt.	175
J-AM12	Manual water softener 12 lt.	200
J-AM16	Manual water softener 16 lt.	221

Vela Vintage





EMA semi-automatic mechanical lever operated coffee machine
ALE semi-automatic coffee machine with lever groups

A retrò machine designed by Wega for coffee enthusiasts who prefer to prepare their coffee without electronic assistance.

The ultimate in modern design, with water knob, steam knob, filter handles and levers in solid wood.

What's more, the best possible extraction is guaranteed for every blend, thanks to the exclusive thermal characteristics of the Vela Vintage.

Groups		☺☺	☺☺☺	☺☺☺☺
Voltage	V	120* / 230-240-400	230-240-400	230-240-400
Power	W	3.100* / 3.900 / 4.200	5.550 / 6.000	6.600 / 7.200
Boiler	Lt / US gal	12 / 3.17	17 / 4.49	22 / 5.81
Width	L = cm / in	77 / 27.56	101 / 39.76	125 / 49.21
Depth	P = cm / in	56 / 22.04	56 / 22.04	56 / 22.04
Height	H = cm / in	58 / 22.80	58 / 22.80	58 / 22.80
*Height max	H = cm / in	80 / 31.50	80 / 31.50	80 / 31.50
Net Weight (EMA)	kg / lb	71 / 156	90 / 198	110 / 242
Gross Weight (EMA)	kg / lb	81 / 178	105 / 231	130 / 286
Net Weight (ALE)	kg / lb	78 / 171.96	101,5 / 223.77	125 / 275.58
Gross Weight (ALE)	kg / lb	88 / 194.01	106,5 / 234.79	145 / 319.67
Packed Volume	m ³ / ft ³	0,459 / 16.20	0,583 / 20.58	0,712 / 25.14

* Maximum height with lever mounted on group (ALE)

EMA semi-automatic mechanical lever operated coffee machine

- Groupheads set at standard height (82 mm).
- Two polished stainless steel wands, with retro style knobs.
- One manual hot water tap.
- Electric cup warmer.
- Autolevel.
- To enhance the purism that distinguishes the style of this machine, new wooden finishes were created for: water knob, steam knob, filter carrier and levers.

ALE semi-automatic coffee machine with lever groups

- Groupheads set at standard height (82 mm).
- Two polished stainless steel wands, with retro style knobs.
- One manual hot water tap.
- Electric cup warmer.
- Autolevel.
- To enhance the purism that distinguishes the style of this machine, new wooden finishes were created for: water knob, steam knob, filter carrier and levers.
- A new user-friendly and easy to maintain dispensing unit has been designed. Its thermal technical features guarantee that the very best is drawn from every coffee mixture.
- The machine is now pre-set for connecting an external cup warmer.
- External motor-driven pump on request.



EMA SEMI-AUTOMATIC COFFEE MACHINE



Model	Groups	LxPxH (cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-EMA2VLV	2	77X56X58	12	71 - 81	120* / 230-240-400	3.100* / 3.900 / 4.200	6.120
J-EMA3VLV	3	101x56x58	17	90 - 105	230-240-400	5.550 / 6.000	7.126
J-EMA4VLV	4	125x56x58	22	110 - 130	230-240-400	6.600 / 7.200	8.668

ALE SEMI-AUTOMATIC COFFEE MACHINE WITH LEVER GROUPS



Model	Groups	LxPxH (cm)	H1(cm)	Lt.	Weight (kg)	Voltage (V)	Power (W)	Euro
J-ALE2VLV	2	77X56X58	80	12	78 - 88	120* / 230-240-400	3.100* / 3.900 / 4.200	6.120
J-ALE3VLV	3	101x56x58	80	17	101,5 - 106,5	230-240-400	5.550 / 6.000	7.126
J-ALE4VLV	4	125x56x58	80	22	125 - 145	230-240-400	6.600 / 7.200	8.668

H1 = Maximum height with lever mounted on group

SMART WATER FILTRATION SYSTEM

Model	Height (cm)	Lt.	Euro
J-KIT 20	38,3	2.700	191
J-KIT 25	38,3	3.800	227
J-KIT 30	43,5	5.800	288
J-KIT 35	46,0	7.800	337
J-KIT TEST	5,5	0,01	50

EXTRA

Code	Description	Euro
J-EX02	Approval TUV GS	359
J-EX03	Approval ANSI/UL197; CSA-C22.2 No. 109	806
J-EX04	Approval NSF/ANSI 4	806
J-EX07	Extra Chrome version	611

ACCESSORIES

Code	Description	Euro
J-AC01	Gas system	169
J-AC02	Built-in motor pump	121
J-AC28	Milkfrother	340
J-AM08	Manual water softener 8 lt.	175
J-AM12	Manual water softener 12 lt.	200
J-AM16	Manual water softener 16 lt.	221

WEGA COMPLEMENTS



Every machine achieves its best with the right accessories. Wega provides for your every need with its complete range of barista products.



COFFEE GRINDERS



Automatic grinder/doser with body and doser in aluminium. Upper and lower dose divider, ring and dosing lever in aluminium. Continuous micrometric grind setting, dose counter and auto-stop standard. Pre-regulated for espresso.

Model	LxPxH (cm)	Macine Ø mm	RPM / W	Prod. Kg/h	Voltage (V)	Euro
J-5.8A Minimax	16,5x30,5x49,5	58	1.340 / 93	6	110 / 230	677



Automatic grinder/doser with body and doser in aluminium. Upper and lower dose divider, ring and dosing lever in aluminium. Dose regulating spindle in aluminium. Continuous micrometric grind setting, dose counter and autostop standard.

Model	LxPxH (cm)	Macine Ø mm	RPM / W	Prod. Kg/h	Voltage (V)	Euro
J-6.4A	21x36,5x63,5	64	1.300 / 245	11	110 / 230 /380	854



Automatic grinder/doser with body and doser in aluminium. Upper and lower dose divider, ring and dosing lever in aluminium. Dose regulating spindle in aluminium. Continuous micrometric grind setting, dose counter and auto-stop standard. Floating motor for silent operation.

Model	LxPxH (cm)	Macine Ø mm	RPM / W	Prod. Kg/h	Voltage (V)	Euro
J-6.4A Silenzio	21x36,5x63,5	64	1.300 / 245	11	110 / 230 /380	976



Automatic grinder/doser with body and doser in aluminium. Upper and lower dose divider, ring and dosing lever in aluminium. Dose regulating spindle in aluminium. Continuous micrometric grind setting, dose counter and auto-stop standard.

Model	LxPxH (cm)	Macine Ø mm	RPM / W	Prod. Kg/h	Voltage (V)	Euro
J-6.8A Konik	21x36,5x63,5	68	325 / 800	17	110 / 230 / 380	1.721

ACCESSORIES

Code	Description	Euro
J-AC18	110V version	234
J-AC19	380V version	142
J-AC20	Chrome plated body	200

INSTANT COFFEE GRINDERS



Instant grinder doser with aluminium body, continuous micrometric grind setting, timer for one or two doses, espresso area.

Model	LxPxH (cm)	Maccine Ø mm	RPM / W	Prod. Kg/h	Voltage (V)	Euro
J-5.8 Instant	16,5x30,5x49,5	58	1.340 / 93	6	110 / 230	480



On demand grinder with body in aluminium, micrometric regulation control, possibility to grind a single or double dose and three different operating modes (automatic, preselect and manual). Flat burr grinding blades. Key for manual grinding. Universal aluminium filter-holder clip with adjustable height. Multifunction menu with touch LCD display and automatic adjustment for two doses.

Model	LxPxH (cm)	Maccine Ø mm	RPM / W	Prod. Kg/h	Voltage (V)	Euro
J-6.4 Instant	23x40x63,5	64	1.325 / 730	11	110 / 230	1.617



On demand grinder with body in aluminium, micrometric regulation control, possibility to grind a single or double dose and three different operating modes (automatic, preselect and manual). Flat burr grinding blades. Key for manual grinding. Universal aluminium filter-holder clip with adjustable height. Multifunction menu with touch LCD display and automatic adjustment for two doses.

Model	LxPxH (cm)	Maccine Ø mm	RPM / W	Prod. Kg/h	Voltage (V)	Euro
J-8.0 Instant	23x40x63,5	83	1.325 / 730	17	110 / 230	1.804



On demand grinder with body in aluminium, micrometric regulation control, possibility to grind a single or double dose and three different operating modes (automatic, preselect and manual). Conical grinding blades. Key for manual grinding. Universal aluminium filter-holder clip with adjustable height. Multifunction menu with touch LCD display and automatic adjustment for two doses.

Model	LxPxH (cm)	Maccine Ø mm	RPM / W	Prod. Kg/h	Voltage (V)	Euro
J-6.8 Konik Instant	23x40x63,5	68	325 / 800	17	110 / 230	2.588

ACCESSORIES

Code	Description	Euro
J-AC18	110V version	234
J-AC19	380V version	142
J-AC20	Chrome plated body	200

WASH RANGE



Model **WIMIX**

Model	Dimensions (mm)	Basket	LxPxH (cm)	Gross Height (kg)	Glass max height (mm)	Voltage (V/Hz)	Power (W)	Euro
WIMIX	370x370		45x45x50	30	200	230V / 50Hz	2.250	1.701
WIMIXR	∅ 37		45x45x50	30	200	230V / 50Hz	2.250	1.701

Standard racks

- 2 glass baskets
- 1 cutlery insert
- 1 insert for saucers
- 1 3/4" gas water supply hose
- 1 water drain hose



Model **WS 37**

Model	Dimensions (mm)	Basket	LxPxH (cm)	Gross Height (kg)	Glass max height (mm)	Voltage (V/Hz)	Power (W)	Euro
WS 37	370x370		45x48x60	36	250	230V / 50Hz	2.250	1.863
WS37R	Ø 37		45x48x60	36	250	230V / 50Hz	2.250	1.863

Standard racks

- 2 glass baskets
- 1 cutlery insert
- 1 insert for saucers
- 1 3/4" gas water supply hose
- 1 water drain hose



ACCESSORIES

Code	Description	Euro
J-AC14	Detergent doser	501
J-AC15	Drain pump	376

WASH RANGE



Model **WS 40S**


Model	Dimensions (mm)	Basket	LxPxH (cm)	Gross Height (kg)	Glass max height (mm)	Voltage (V/Hz)	Power (W)	Euro
WS 40S	400x400		49,5x52x64	39	290	230V / 50Hz	2.250	2.146
WS 40SR	Ø 40		49,5x52x64	39	290	230V / 50Hz	2.250	2.146

Standard racks


- 2 glass baskets
- 1 cutlery insert
- 1 insert for saucers
- 1 3/4" gas water supply hose
- 1 water drain hose

ACCESSORIES

Code	Description	Euro
J-AC14	Detergent doser	501
J-AC15	Drain pump	376



Model WS 500

Model	Dimensioni (mm)	Cesto	LxPxH (cm)	Gross Height (kg)	Glass max height (mm)	Voltage (V/Hz)	Power (W)	Euro
WS 500	500x500		60x60x82,5	73	300	230V / 50Hz	3.750	3.105

Standard racks

- 2 dishes basket
- 1 glass basket
- 4 cutlery inserts
- 1 3/4" gas water supply hose
- 1 water drain hose

ACCESSORIES

Code	Description	Euro
J-AC14	Detergent doser	501
J-AC15	Drain pump	376

ICE RANGE

ICE CUBE - AIR

- Ice cube maker with aspersion production system
- Air condensing unit
- Available upon request with voltage 230/60/1
- Optimization of the relationship between production and storage
- New front mask



Model	Production kg/24H	LxPxH (cm)	Tank capacity (kg)	KWh 24h	Standard Voltage (V)	Weight (kg)	Euro
J-ICE20A	17	33,3x45,7x59,9	6	6,5	230 / 50 / 1	28 / 33	1.469
J-ICE23A	23	39x51,5x64	8	6	230 / 50 / 1	31 / 36	1.508
J-ICE31A	28	46,9x58,7x69	15	8	230 / 50 / 1	37 / 44	1.841

ICE CUBE - WATER

- Ice cube maker with aspersion production system
- Water condensing unit
- Available upon request with voltage 230/60/1
- Optimization of the relationship between production and storage
- New front mask



Model	Production kg/24H	LxPxH (cm)	Tank capacity (kg)	KWh 24h	Standard Voltage (V)	Weight (kg)	Euro
J-ICE20W	18	33,3x45,7x59,9	6	5,4	230 / 50 / 1	28 / 33	1.469
J-ICE23W	23	39x51,5x64	8	6	230 / 50 / 1	31 / 36	1.508
J-ICE31W	28	46,9x58,7x69	15	8	230 / 50 / 1	37 / 44	1.841

ICE PADDLES - AIR

- Ice cube maker with paddle system
- Air condensing unit



Model	Production kg/24H	LxPxH (cm)	Tank capacity (kg)	KWh 24h	Standard Voltage (V)	Weight (kg)	Euro
J-GPE21A	21	34x54,7x69	7	6,15	230 / 50 / 1	31 / 36	1.947
J-GPE35A	37	45x54,7x69	12	10,73	230 / 50 / 1	39 / 45	2.355

ICE PADDLES - WATER

- Ice cube maker with paddle system
- Water condensing unit



Model	Production kg/24H	LxPxH (cm)	Tank capacity (kg)	KWh 24h	Standard Voltage (V)	Weight (kg)	Euro
J-GPE21W	19	34x54,7x69	7	3,91	230 / 50 / 1	31 / 36	1.947
J-GPE35W	35	45x54,7x69	12	7	230 / 50 / 1	39 / 45	2.355

DRAWERS



Under grinder coffee grounds knock-out drawer in Stainless steel (304).

Model	LxPxH (cm)	Euro
J-MAC. TOP	25x38x8	321



1 group coffee grounds knock out single drawer with corner feet and 75 mm circular access hole for passage of cables and pipes. Finish in Stainless steel (304).

Model	LxPxH (cm)	Euro
J-1GR. TOP	60,2x51,5x14,1	490



2 groups coffee grounds knock out double drawer with corner feet and 75 mm circular access hole for passage of cables and pipes. Finish in Stainless steel (304).

Model	LxPxH (cm)	Euro
J-2GR. TOP	80,2x51,5x14,1	739

MANUAL WATER SOFTENERS

Model	LxPxH (cm)	Lt.	Euro
J-AM08	40	8	175
J-AM12	50	12	200
J-AM16	60	16	221

Traditional manual water softener with resin. Stainless steel body.
(Available also in the bypass version).

SMART WATER FILT. SYSTEM



UNIVERSAL FILTER HEAD

Wega adopts a new treatment for perfect water. Even more efficient. Even SMARTER!

Developed to serve an excellent coffee, the Bestmax SMART filtering system guarantees water of an extraordinary sensorial quality.

Thanks to the highest filtering level provided by the IEX booster, Bestmax SMART assures:

- Optimal filtering capacity
- Maximum efficiency
- Lengthy duration
- Compact filter dimensions

Besides limiting lime formation, the water gets best mineralised thanks to a further developed bypass technology.

The Bestmax SMART filtering system consists of a filtering cartridge with "besthead" screw-in connection head.

Depending on water hardness and installation requirements, the bypass gets adjusted (0-3) on the filtering head.

A check valve on the input side prevents backflow and uncontrollable water leaks. The Bestmax SMART filtering system for food processing use is safe and resistant to pressure, and can be used with drinking water of any type.

SMART WATER FILTRATION SYSTEM

Model	Height (cm)	Lt.	Euro
J-KIT 20	38,3	2.700	191
J-KIT 25	38,3	3.800	227
J-KIT 30	43,5	5.800	288
J-KIT 35	46,0	7.800	337
J-KIT TEST	5,5	0,01	50

ACCESSORIES

Code	Description	Euro
J-AC31	Head	65
J-AC32	Refill "20"	134
J-AC33	Refill "25"	166
J-AC34	Refill "30"	218
J-AC35	Refill "35"	264
J-AC37	Elect. litre counter with display LCD	159

CLEANING PRODUCTS



PHOSPHATE FREE PRODUCTS

- The new Wega coffee equipment cleaning products are the result of a most innovative study and technology to create something that meets the highest standards for cleaning power while considering the environment.

Everything is done with respect for the orally consumed items, in fact **we have avoided the use of any products derived from petroleum and phosphates!** Every components is found in food or derived from plants. Moreover all labels are printed digitally to reduce emissions and all packaging is 100% recyclable.



WEGA ESPRESSO MACHINE CLEANING TABLETS

- Tablets are completely phosphate free and, in addition, all ingredients are renewable, sustainable and naturally occurring. Every jar is made from recycled packaging with a digitally printed label.
- Each jar contains 100 tablets that are sized and designed for the cleaning chambers in a broad range of fully automatic machines.
- All tablets are formulated for easy rinsing and powerful cleaning of traditional espresso machines, fully automatic machines and also for soaking coffee and espresso machine parts.



WEGA ESPRESSO MACHINE CLEANER

- Espresso machine cleaner is completely phosphate free and, in addition, all ingredients are renewable, sustainable and naturally occurring. Every jar is made from recycled packaging with a digitally printed label.
- Each 900 gram jar of product is perfect for back flushing traditional espresso machines, soaking coffee and espresso machine parts, and cleaning coffee brewers.
- The special concentrated formula eliminates coffee residue in group heads and valves with a balance of foam and solubility for optimal rinsing.



WEGA MILK SYSTEM CLEANING SOLUTION

- Milk system cleaning solution is completely phosphate free and, in addition, all ingredients are renewable, sustainable and naturally occurring. Every bottle is made from recycled packaging with a digitally printed label.
- A superior dairy cleaner specifically formulated to break down milk protein build up.
- Perfect for cleaning auto frothing devices, steam wands, and milk vessels.



WEGA GRINDER CLEANER

- Grinder cleaner is completely phosphate free and, in addition, all ingredients are renewable, sustainable and naturally occurring. Every jar is made from recycled packaging with a digitally printed label.
- Each jar contains 215 grams of coffee bean shaped tablets that are designed to quickly and effectively remove stale coffee residue and flavored coffee odors from the internal burrs and casings of coffee grinders.
- Using this product is as easy as grinding beans: just run the tablets through your grinder, no grinder disassembly required!

Product	Size	Euro
WEGA ESPRESSO MACHINE CLEANING TABLETS	100 Tablets in Tub (2g x 15mm)	28
WEGA ESPRESSO MACHINE CLEANER	900 g Tub	17
WEGA MILK SYSTEM CLEANING SOLUTION	1 Litre Bottle	29
WEGA GRINDER CLEANER	215 g Tub	22

MERCHANDISE*

CAPP ARMY STYLE

Cap army style with new Wega logo.



APRON

100% Cotton apron in black colour and customized with Wega logo.



T-SHIRT

Cotton t-Shirt in black colour personalized with Wega logo and graphics.



LEATHER APRON

Crafted leather apron, in black colour, with double front pockets and personalized with Wega logo on the high front small pocket.




TOUCH PEN

Black ink ballpoint pen, ideal for tablets, smartphones and Ipad thanks to its touch pen mode.




LANYARD

Satin lanyard with snap-hook in chromed metal.



BAG with WASHING KIT

Barista bag with Wega logo and professional accessories and cleaning products.



USB KEY

4 GB USB flash drive personalized with the Wega logo.



*Prices and availability on request.

Prices: The prices shown do not include VAT.

Packing: Included. Woodenframe available with an extra surcharge.

Terms: FCA Incoterms ® 2010 Susegana (TV) - Italy.

Warranty: 12 months, electrical parts excluded.

Transport: The supply is FCA (FREE CARRIER) Incoterms® 2010 WEGA MACCHINE PER CAFFÉ S.r.l. Susegana (TV) - Italy. Transport is at the purchasing party's expenses and risk. These terms are valid also in the event that WEGA MACCHINE PER CAFFÉ S.r.l. undertakes to provide for the transport through a shipper on behalf of the purchasing party.

Reservation of ownership: The goods are the exclusive property of WEGA MACCHINE PER CAFFÉ S.r.l. until the invoice is paid in full.

Court of jurisdiction: Contracts stipulated with WEGA MACCHINE PER CAFFÉ S.r.l. are subject to Italian law. For any dispute that may arise from contracts with WEGA MACCHINE PER CAFFÉ S.r.l., in Italy or foreign countries, the court of jurisdiction shall be that of Treviso (Italy).

WEGA MACCHINE PER CAFFÉ S.R.L. RESERVES THE RIGHT TO EFFECT CHANGES TO THE PRICELIST AND MODIFICATIONS TO THE PRODUCTS WITHOUT ANY PRIOR NOTIFICATION.





WEGA MACCHINE PER CAFFÈ S.r.l. - Socio unico
Via Condotti Bardini, 1 - 31058 Susegana (TV) - ITALY



Direzione e coordinamento: RYOMA MC S.r.l.
Reg. Impr. - C.F. e P. IVA IT04533130268
R.E.A. 357675/Treviso - Capitale Sociale €100.000 i.v.
Tel. + 39 0438 1799700 - Fax +39 0438 1884890

info@wega.it - www.wega.it

Concept & Graphic Design
Delineodesign Comunicazione

